




~~Commercial~~ <sup>RESIDENTIAL</sup> Mechanical Fixtures



Fuel Type


~~EXISTING~~  
 Natural Gas     Electric     Wood     Propane Gas     Other

Type of Equipment	Number of Fixtures	Type of Equipment	Number of Fixtures
Furnace <=100K BTU		Gas Fireplace	
Boilers/AC/Heat Pump		Other Units	
Gas Outlets			
Ventilation Fans			
Gas Water Heater			
Range Hood			

Commercial Plumbing Fixtures

Type of Fixture	Number of Fixtures	Type of Fixture	Number of Fixtures
Toilet	1	Utility Sink	
Dishwasher		Hose Bibb	
Hand Sink	1	Water Piping	
Kitchen Sink w/Disposal		Additional Fixtures	1
Clothes Washer			
Electric Water Heater			

I HEREBY ACKNOWLEDGE IF HAVE READ THIS PERMIT APPLICANT AND STATE THE INFORMATION IS CORRECT, AND AGREE TO COMPLY WITH ALL CITY ORDINANCES AND STATE LAWS REGULATING ACITIVIES COVERED BY THIS PERMIT APPLICATION. WITH THIS PERMIT ALL CONTRACTORS AND SUBCONTRACTORS SHALL HAVE A CURRENT WASHINGTON STATE CONTRACTORS LICENSE AND A CITY BUSINESS LICENSE. STOP WORK ORDERS WILL BE ISSUED ON JOB SITES WHERE CONTRACTORS/SUBCONTRACTORS ARE WORKING WITHOUT PROPER LICENSE.

  
 APPLICANT'S SIGNATURE

DATE 2/15/13


**RECEIVED**  
FEB 15 2013

drafting  
& design LLC  
宅柄


Jonathan Richards  
5105 Sterling Drive  
Anacortes, Washington 98221

ph 360.391.0832  
em jonathan\_59@hotmail.com

Project Description:  
Addition To An Existing  
Single Family Residence



EXISTING RESIDENCE FOOTPRINT	802 SF
EXISTING GARAGE	660 SF
EXISTING WALKWAYS, DRIVEWAYS	193 SF
NEW ADDITION FOOTPRINT	327 SF
TOTAL IMPERVIOUS	1982 SF
LOT AREA	6000 SF
LOT COVERAGE	33%



Project Information:

**1506 10th Street**  
Anacortes, Washington 98221


**A1.0**

# Phinney Addition

February 6, 2013

# 1506 10th Street

Anacortes, Washington



drafting & design LLC  
宅柄

Jonathan Richards  
5105 Sterling Drive  
Anacortes, Washington 98221  
ph 340.391.0832  
em jonathan\_richards@hotmail.com

Project Description:  
Addition To An Existing Single Family Residence

Plan Information:  
Parcel # 135533  
Existing Floor 1 786 SF  
Existing Floor 2 380 SF  
Total Existing 1166 SF  
Addition Floor 1 344 SF  
Addition Floor 2 359 SF  
Total New 703 SF  
Total Heated 1869 SF

1506 10th Street  
Anacortes, Washington 98221


Project Information:

Revisions:  
Print Date 2/6/13

Index:  
Cover Page/Site Plan/A1.0  
Building Sections A1.0  
Foundation Plan A1.1  
2nd Floor Framing Plan A1.1  
Roof Plan A1.1  
1st Level Floor Plan A2.1  
2nd Level Floor Plan A2.1  
Bevels A3.1


Cover Page  
Site Plan  
Building Sections

A1.0




Building Section AA

Scale: 1/8" = 1'



Stair Section

Scale: 1/2" = 1'



Site Plan

Scale: 1" = 20'

### PROJECT INFORMATION:

**Project Description:** Addition To An Existing Single Family Residence

**Building Official:** Skagit County, Washington

**Building Classification:** Type V-B (NON-SPRINKLERED)

**Zoning:** R3 - Old Town District

**Title Holder:** Lewis & Bonnie Phinney  
3010 Escapardo Circle  
Colorado Springs, Colorado 80917

**Contact:** Lewis & Bonnie Phinney  
3010 Escapardo Circle  
Colorado Springs, Colorado 80917

**Project Location:** 1506 10th Street  
Anacortes, Washington 98221  
Skagit County

**Tax Lot Number:** P55842

**Legal Description:** LOTS 17 AND 18, BLOCK 130, ANACORTES, RECORDED IN VOLUME 2 OF PLATS, PAGE 4, RECORDS OF SKAGIT COUNTY, WASHINGTON.

**Plan Note:** Plans Are To Be Reviewed By All Subcontractors Prior To Starting Construction. If Discrepancies Exist Please Contact The Contractor For Further Information.


### SCOPE OF WORK:

Complete Application New Addition To SFR

### CODE BREAKDOWN:


2009 IRC  
2009 IEBC  
2009 IMC  
2009 UPC  
2009 NEC  
2009 WSEC  
~~2009 VIAQ~~

INTERNATIONAL RESIDENTIAL CODE  
INTERNATIONAL EXISTING BUILDING CODE  
INTERNATIONAL MECHANICAL CODE  
UNIFORM PLUMBING CODE  
NATIONAL ELECTRICAL CODE  
WASHINGTON STATE ENERGY CODE  
WASHINGTON STATE VENT & INDOOR AIR QUALITY CODE




### Legend:

- Existing Wall
- New Wall
- Wall To Be Removed (Light)
- Wall Of Floor Below
- New Item
- Existing Item
- Detector As Labelled
- Ventilation Fan




Typical Foundation Vents: Space 24" From Corners And Away From Reinforcing. Provide Retaining Barriers Where Necessary.




**2nd Level Floor Framing**

Scale: 1/8" = 1'




**Roof Plan**

Scale: 1/8" = 1'




**Foundation Detail**

Scale: 1" = 1'-0"



**Sonotube Exterior Column Support**

Scale: 1" = 1'-0"



**Roof Truss Connection**

Scale: 1" = 1'-0"

**FOUNDATION / FLOOR FRAMING / ROOF PLAN NOTES:**

- PLANS TO BE REVIEWED BY ALL SUBCONTRACTORS PRIOR TO STARTING CONSTRUCTION. IF DISCREPANCIES EXIST PLEASE CONTACT THE OWNER, GENERAL CONTRACTOR, OR THE DRAFTSMAN FOR FURTHER INFORMATION. ALL CONSTRUCTION TO MATCH EXISTING CONDITIONS. VERIFY PRIOR TO CONSTRUCTION.
- MATERIALS TO MEET THE FOLLOWING GRADES: HEADERS TO BE 6X10 HF#2 UNLESS NOTED OTHERWISE. GLAM BEAMS TO BE DF SPECIES AND HAVE A 24F-V4 RATING. COLUMNS TO BE DF#2 OR HF#2. STUDS AND TYPICAL FRAMING MATERIALS TO BE DF#2, HF#2, OR SPF.
- ALL BOTTOM PLATES AND ANY LUMBER IN CONTACT WITH CONCRETE MUST BE PRESSURE TREATED.
- TYPICAL FOOTING THICKNESS TO BE 16" AND A DEPTH OF 8" WITH THE TYPICAL FOUNDATION WALL THICKNESS TO BE 8" UNLESS NOTED OTHERWISE. SEE DETAILS ON THIS PAGE FOR FURTHER INFORMATION.
- ANCHOR BOLT PLACEMENT WILL BE EVERY 48" O.C. AND A MINIMUM OF 2 PER WALL.
- CRAWL SPACE TO BE VENTILATED BY FOUNDATION VENTS. PROVIDE 1 SF PER 150 SF OF AREA (4 MIN. PER 440 SF). VENTS MUST BE COVERED WITH 1/4" CORROSION RESISTANT WIRE MESH. LOCATE AWAY FROM ANCHOR BOLTS AND HOLDDOWNS.
- 4" CONCRETE LANDINGS TO BE 1/8" LOWER THAN THRESHOLD. SLOPE AT 1/4" PER FOOT AWAY FROM BUILDING.
- PROVIDE FULL BEARING UNDER ALL POINT LOAD LOCATIONS (BEAM & HEADER ENDS).
- PROVIDE BLOCKING ABOVE ALL BEARING WALLS AND BEAMS.
- POSTS AT NOTED LOCATIONS. 4X4 PRESSURE TREATED DF#2 POSTS CONNECTED TO SUPPORTING BEAM WITH A CLEAT AND (5) 16D NAILS. USE FOUNDATION WALL FOOTING WITH A POSITIVE CONNECTION TO POST.
- FOLLOW ALL TJI FRAMING DETAILS PER MANUFACTURER.
- FLOOR FRAMING TO HAVE 1/4" BEAD OF CONSTRUCTION ADHESIVE WHERE ATTACHED TO 3/4" TONGUE AND GROOVE SUBFLOOR.
- ADD AND ALIGN JOISTS TO ACCOMMODATE FOR PLUMBING.
- PROVIDE FIRESTOPS AT ALL APPLICABLE LOCATIONS, INCLUDING HOLES AND ANY OPEN AREAS.
- STAIRS TO BE FRAMED WITH MIN (3) 2x12 STRINGERS, ONE AT EACH SIDE AND ONE AT THE CENTER. PROVIDE FIRE STOPS BETWEEN STRINGERS AT TOP, MID, BOTTOM, AND BETWEEN STUDS ALONG THE RUN OF THE STAIRS. SEE DETAILS.
- ROOF TRUSSES TO BE SHEATHED WITH 1/2" O.S.B. WITH 30# FELT AND TILE ROOFING. CEILING LID TO USE 5/8" GYPSUM WALLBOARD. MATCH NEW WITH EXISTING.
- PROVIDE ROOF CROSS VENTILATION FOR EACH SEPARATE SPACE, AND CONTINUOUS RIDGE VENT PER 2009 IRC. TOTAL NET FREE VENTILATION AREA SHALL NOT BE LESS THAN 1 TO 150 OF THE AREA OF THE SPACE VENTILATED.
- FOLLOW ALL TRUSS FRAMING DETAILS PER MANUFACTURER.
- ALL ROOF PITCHES ARE TO HAVE SLOPES AS NOTED. VERIFY HEIGHT WITH TRUSS ENGINEER TO MEET HEIGHT RESTRICTION. SEE ELEVATIONS.
- PROVIDE ATTIC ACCESS THRU 22"x30" MIN OPENING WITH REMOVABLE PANEL. FRAME WITH 2x12 MEMBERS.
- ALL OVERHANGS TO MATCH EXISTING (12" U.N.O.).
- INSULATION TO MEET THE MINIMUM PERSCRPTIVE REQUIREMENTS OF THE 2009 WESC. INSULATION VALUES ARE AS FOLLOWS:  
 CEILINGS R-49 OR R-38 ADV.  
 EXTERIOR WALLS R-21  
 JOIST FLOORING R-30  
 CONCRETE FLOOR R-10

**Legend:**

—	Existing Wall
—	New Wall
- - - - -	Wall To Be Removed (Light)
- - - - -	Wall Of Floor Below
(n)	New Item
(e)	Existing Item
⊗	Detector As Labelled
⊙	Ventilation Fan



Jonathan Richards  
5108 Sterling Drive  
Anacortes, Washington 98221  
ph 340.391.0832  
em jonathan\_rj@dm.com

**Project Description:**  
Addition To An Existing Single Family Residence

**Plan Information:**

Parcel #	135533
Existing Floor 1	786 SF
Existing Floor 2	380 SF
Total Existing	1166 SF
Addition Floor 1	344 SF
Addition Floor 2	359 SF
Total New	703 SF
Total Heated	1869 SF

**1506 10th Street**  
Anacortes, Washington 98221

**Revisions:**

Print Date	2/6/13
------------	--------

**Index:**

Cover Page/Site Plan/	A1.0
Building Sections	A1.0
Foundation Plan	A1.1
2nd Floor Framing Plan	A1.1
Roof Plan	A1.1
1st Level Floor Plan	A2.1
2nd Level Floor Plan	A2.1
Elevations	A3.1

**Foundation Plan**  
2nd Floor Framing Plan  
Roof Plan

**A1.1**

FLOOR PLAN NOTES:

- PLANS TO BE REVIEWED BY ALL SUBCONTRACTORS PRIOR TO STARTING CONSTRUCTION. IF DISCREPANCIES EXIST PLEASE CONTACT THE OWNER, GENERAL CONTRACTOR, OR THE DRAFTSMAN FOR FURTHER INFORMATION. ALL CONSTRUCTION TO MATCH EXISTING CONDITIONS, VERIFY PRIOR TO CONSTRUCTION.
- MATERIALS TO MEET THE FOLLOWING GRADES:  
 HEADERS TO BE 6X10 HF#2 UNLESS NOTED OTHERWISE.  
 GLAM BEAMS TO BE DF SPECIES AND HAVE A 24F-V4 RATING.  
 COLUMNS TO BE DF#2 OR HF#2.  
 STUDS AND TYPICAL FRAMING MATERIALS TO BE DF#2, HF#2, OR SPF.
- PLANS AND CONSTRUCTION OF RESIDENCE TO MEET PERSCRIPTION BRACING REQUIREMENTS OF THE 2009 IRC BY CONTINUOUS SHEATHING-WOOD STRUCTURAL PANELS (CS). USE 1/2" OSB PLYWOOD SHEATHING TO SPAN FULL-HEIGHT WITH 6D NAILS @ 6" EDGE NAILING AND 12" INTERMEDIATE NAILING. NOTE LOCATIONS OF ALL PANELS AND SIZE REQUIREMENTS AND IMPLEMENT. SEE DETAILS.
- ALL WOOD IN CONTACT (BOTTOM PLATES) MUST BE PRESSURE TREATED MATERIAL. USE CORROSION RESISTANT FASTENERS WHEN IN CONTACT WITH PRESSURE TREATED LUMBER. ALL EXTERIOR WALLS ARE FRAMED WITH 2X6 STUDS AT 16" O.C. AND SHEATHED WITH 1/2" OSB PLYWOOD OR BETTER WITH 15# BUILDING PAPER. ALL INTERIOR WALLS ARE FRAMED WITH 2X4 STUDS AT 16" O.C. AND SHEATHED WITH 1/2" GYPSUM WALLBOARD UNLESS NOTED OTHERWISE.
- STAIRS TO BE WIDTH SHOWN ON PLAN WITH 10" MIN RUN LENGTH AND 7 3/4" MAX RISE HEIGHT. TREADS AND RISERS NOT TO VARY MORE THAN 3/8" FROM ONE TO ANOTHER. MAINTAIN MINIMUM 6'-8" HEADROOM. PROVIDE CONTINUOUS HANDRAIL ON AT LEAST ONE SIDE OF RUN. SEE DETAILS.
- CONFIRM ALL DOOR, WINDOW, FIREPLACE, AND OTHER ROUGH OPENING SIZES WITH OWNER/CONTRACTOR PRIOR TO WALL CONSTRUCTION. ALL GLASS TO HAVE A LOW E (D-40) GLAZING AND TO MEET TEMPERED REQUIREMENTS.
- PROVIDE SMOKE DETECTORS WIRED TO THE ELECTRICAL SYSTEM WITH BATTERY BACKUP ON OR NEAR THE CEILING OF EACH FLOOR AND IN ALL BEDROOMS. CARBON MONOXIDE (CO) ALARMS TO BE PLACED OUTSIDE BEDROOMS.
- PROVIDE EXHAUST FANS KITCHENS AT MIN OF 100 CFM AND BATHROOM FANS AT MIN OF 50 CFM. DRYER EXHAUST FANS SHALL BE INDEPENDENT OF OTHER SYSTEMS AND EQUIPED WITH BACKDRAFT DAMPER AND TO BE INSTALLED PER MANUFACTURERS SPECIFICATIONS. ALL FANS TO BE VENTED TO THE OUTSIDE OF THE RESIDENCE. FANS ARE SHOWN AS
- CERTIFIED PREMANUFACTURED WOOD BURNING FIREPLACE WITH DAMPER AND OUTSIDE COMBUSTION AIR SOURCE DIRECTLY CONNECTED TO THE FIREBOX. INSTALL PER MANF. SPECS.
- PROVIDE FULL BEARING UNDER ALL POINT LOAD LOCATIONS (BEAM & HEADER ENDS).
- PROVIDE BLOCKING ABOVE ALL BEARING WALLS AND BEAMS.
- PROVIDE FIRESTOPS AT ALL APPLICABLE LOCATIONS, INCLUDING HOLES AND ANY OPEN AREAS.
- INSULATION TO MEET THE FOLLOWING REQUIREMENTS:  
 CEILINGS R-49 OR R-38 ADV.  
 EXTERIOR WALLS R-21  
 JOIST FLOORING R-30  
 CONCRETE FLOOR R-10


Legend:

- Existing Wall
- New Wall
- Wall To Be Removed (Light)
- Wall Of Floor Below
- New Item
- Existing Item
- Detector As Labeled
- Ventilation Fan



WINDOW SCHEDULE

VINYL DOUBLE PANE LOW - E WINDOWS (0,40)



ID	Size	Description	Qty
A	2'-6" x 4'-0"	Single Hung	1
B	2'-6" x 5'-0"	Single Hung	6
C	2'-6" x 2'-6"	Awning	2
D	2'-6" x 4'-6"	Casement	2
E	2'-0" x 2'-0"	Awning	1



1st Level Floor Plan




2nd Level Floor Plan




Stair Detail

SCALE: 1/2" = 1'-0"



(a) OUTSIDE CORNER DETAIL



(b) INSIDE CORNER DETAIL

CONTINUOUS SHEATHING DETAIL R602.10.4.4(1)


Scale: 1" = 1'-0"

Plan Information:  
 Parcel # 135533



Existing Floor 1	786 SF
Existing Floor 2	380 SF
<b>Total Existing</b>	<b>1166 SF</b>
Addition Floor 1	344 SF
Addition Floor 2	359 SF
<b>Total New</b>	<b>703 SF</b>
<b>Total Heated</b>	<b>1869 SF</b>

Index:



Cover Page/Site Plan/	A1.0
Building Sections	A1.0
Foundation Plan	A1.1
2nd Floor Framing Plan	A1.1
Roof Plan	A1.1
1st Level Floor Plan	A2.1
2nd Level Floor Plan	A2.1
Elevations	A3.1





North Elevation




West Elevation



East Elevation



South Elevation





**City of Anacortes**  
 904 6th Street  
 P.O.Box 547  
 Anacortes, WA 98221-0547  
 (360) 293-1901

1210203-1 0006 04/11/2012 001 3  
 Permit Fees 009331 \$40.18

**Permit #:** BLD-2012-0116  
**Issue date:** 04/11/2012  
**Expire date:** 10/08/2013

**Job Address:** 1506 10TH ST  
 ANACORTES WA 98221-1926

**Permit Type:** Single Family Alteration/Repair Permit  
**Project:**

**APN:** P55842

**Remarks:** Rebuild deck at front door.

**Owner:** JOSEPH WERMUS

**Contractor:**

**Address:** 752 DAYTON ST

**Address:**

EDMONDS WA 98020-3433

**Phone:**

**Phone:**

**License #:**

**General Information:**


Building Valuation 800

**Fees:**

Building Permit Fee	26.25
Plan Review Fee	9.43
State Building Code Fee	4.50

Total Calculated:	40.18
Deposits/Receipts:	0.00
<b>Total Due:</b>	<b>40.18</b>

THIS PERMIT BECOMES NULL AND VOID IF WORK OR CONSTRUCTION AUTHORIZED IS NOT COMMENCED WITHIN 180 DAYS, OR IF CONSTRUCTION OR WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AT ANY TIME AFTER WORK IS COMMENCED. I HEREBY CERTIFY THAT I HAVE READ AND EXAMINED THIS APPLICATION AND KNOW THE SAME TO BE TRUE AND CORRECT. ALL PROVISIONS OF LAWS AND ORDINANCES GOVERNING THIS TYPE OF WORK WILL BE COMPLIED WITH WHETHER SPECIFIED HEREIN OR NOT. THE GRANTING OF A PERMIT DOES NOT PRESUME TO GIVE AUTHORITY TO VIOLATE OR CANCEL THE PROVISIONS OF ANY OTHER STATE OR LOCAL LAW REGULATING CONSTRUCTION OR THE PERFORMANCE OF CONSTRUCTION.

  
 SIGNATURE OF OWNER OR AUTHORIZED AGENT


  
 ISSUED BY



Top View

- 1506-10th St

Joists  
16" centers  
pres treated  
2x6



CITY OF ANACORTES PERMIT CENTER  
APPROVED PLANS

BLD-2012-0116

PERMIT NO.

ADDRESS: 1506 10th St


APPROVED BY

*Dem*

SUBJECT TO FIELD INSPECTION, OVERSIGHT,  
OR VIOLATION OF CODE IS NOT INCLUDED.

Front View

Material



- beam - 2 - Samedwiched pressure treated
- 2x6 pressure treated ledger
- joists - supported by hangers
- blocking - Trex
- Treated 4x4 posts on pillar blocks
- Simpson A35 tie downs
- Simpson 2x6 hangers LWS26Z
- Stair stringers cut from pressure treated 2x12
- Ledger - Attached w/ joist lock bolts - 6in
- 3/4" risers
- 2 stop - 6 3/4" risers
- 3 - 6 3/4" risers
- Z max

All fasteners to be either hot-dipped galvanized, stainless steel or equivalent protection

# MECHANICAL PERMIT

CITY OF ANACORTES  
 P.O. BOX 547  
 ANACORTES, WA 98221  
 (206) 293-1901

PERMIT NO.: MEC94-0057  
 APPLIED: 05/13/94  
 ISSUED: 05/13/94  
 EXPIRES: 05/13/95

SITE ADDRESS: 1506 10TH ST  
 ASSESSOR'S PARCEL NO.: 3772-130-018

PROJECT DESCRIPTION: install gas freestanding stove

OWNER RICHARD HALVERSON 1506 10TH STREET ANACORTES WA 98221  293-7178	CONTRACTOR
--	------------

TYPE OF WORK...:ADD TYPE OF USE...:RES  FUEL TYPES----- :/GAS/ / /: FURN < 100K BTU: 0 FURN >=100K BTU: 0 FURN - FLOOR...: 0 UNIT HEATERS...: 0 VENT FANS...: 0 VENT SYSTEMS...: 0 VENT W/O APPLI.: 0	BOILERS/COMPRESSORS- 0-3 HP.....: 0 3-15 HP.....: 0 15-30 HP.....: 0 30-50 HP.....: 0 50+ HP.....: 0 AIR HANDLING UNITS-- <= 10000 cfm.: 0 > 10000 cfm.: 0 EVAP COOLERS...: 0 HOODS.....: 0	DOMES. INCIN.....:0 COMML. INCIN.....:0 RELOC/REPAIR...: 0 CLOTHES DRYERS.: 0 GAS WTR HEATERS: 0 STOVE, APPLI...: 1 FIRE LOG/LITE...: 0 WOODSTOVES.....: 0 OTHER UNITS.....: 0 GAS OUTLETS.....: 1
--	---	---

<table style="width: 100%;"> <tr> <th style="text-align: left;">FEES</th> <th style="text-align: left;">Code</th> <th style="text-align: left;">Amount----</th> <th style="text-align: left;">By-</th> <th style="text-align: left;">Date----</th> <th style="text-align: left;">Receipt</th> </tr> <tr> <td></td> <td>PRMT \$</td> <td>24.50</td> <td>DM</td> <td>05/13/94</td> <td>2442</td> </tr> <tr> <td colspan="2">TOTAL \$</td> <td>24.50</td> <td colspan="3"></td> </tr> </table>	FEES	Code	Amount----	By-	Date----	Receipt		PRMT \$	24.50	DM	05/13/94	2442	TOTAL \$		24.50				NOTES <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>
FEES	Code	Amount----	By-	Date----	Receipt														
	PRMT \$	24.50	DM	05/13/94	2442														
TOTAL \$		24.50																	

I hereby acknowledge that I have read this permit and state that the above information is correct, and agree to comply with all ordinances and laws regulating activities covered by this permit.

 Issued by  
 Applicant or Owner's Signature

**24 Hour Notice Required For All Inspections**

# BUILDING PERMIT

CITY OF ANACORTES  
 P.O. BOX 547  
 ANACORTES, WA 98221  
 (206) 293-1901

PERMIT NO.: **BLD94-0061**  
 APPLIED: **02/16/94**  
 ISSUED: **02/16/94**  
 EXPIRES: **02/16/95**

SITE ADDRESS: **1506 10TH ST**  
 ASSESSOR'S PARCEL NO.: **3772-130-018**

PROJECT DESCRIPTION: **Replace wood foundation with concrete**

OWNER RICHARD HALVERSON 1506 10TH STREET ANACORTES WA 98221  293-7178	CONTRACTOR	LENDER
--	------------	--------

TYPE OF WORK.....: <b>ADD</b>	AREA (sf)-----	VALU...\$: <b>4000</b>
TYPE OF USE.....: <b>SF</b>	LOT.....: <b>0</b>	REQUIRED SETBACKS----
CENSUS CATEGORY.....: <b>434</b>	1ST FLR.....: <b>0</b>	FRONT....: <b>0 ft</b>
ZONING-----	2ND FLR.....: <b>0</b>	SIDE.....: <b>0 ft</b>
:? :	BASEMENT.....: <b>0</b>	REAR.....: <b>0 ft</b>
OCCUPANCY GROUP-----	GAR/CARPORT...: <b>0</b>	REQUIRED PARKING--
:R3 :? :? :? :	OTHER.....: <b>0</b>	TOTAL.....: <b>0</b>
TYPE OF CONSTRUCTION-----	NUMBER OF UNITS.....: <b>0</b>	HANDICAPPED: <b>0</b>
:5N :? :? :? :	STORIES.....: <b>0</b>	COMPACT....: <b>0</b>
OCCUPANT LOAD-----	BUILDING HEIGHT.: <b>0 ft</b>	IMPRV SURF.: <b>0 sf</b>
: 0: 0: 0: 0:		

<table style="width: 100%;"> <thead> <tr> <th style="text-align: left;">FEES</th> <th style="text-align: left;">Code</th> <th style="text-align: left;">Amount</th> <th style="text-align: left;">By-</th> <th style="text-align: left;">Date</th> <th style="text-align: left;">Receipt</th> </tr> </thead> <tbody> <tr> <td></td> <td>PRMT</td> <td>\$ 44.50</td> <td>MD</td> <td>02/16/94</td> <td>19</td> </tr> <tr> <td></td> <td>STBC</td> <td>\$ 4.50</td> <td>MD</td> <td>02/16/94</td> <td>19</td> </tr> <tr> <td colspan="2">TOTAL \$</td> <td><b>49.00</b></td> <td colspan="3"></td> </tr> </tbody> </table>	FEES	Code	Amount	By-	Date	Receipt		PRMT	\$ 44.50	MD	02/16/94	19		STBC	\$ 4.50	MD	02/16/94	19	TOTAL \$		<b>49.00</b>				NOTES <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>
FEES	Code	Amount	By-	Date	Receipt																				
	PRMT	\$ 44.50	MD	02/16/94	19																				
	STBC	\$ 4.50	MD	02/16/94	19																				
TOTAL \$		<b>49.00</b>																							

I hereby acknowledge that I have read this permit and state that the above information is correct, and agree to comply with all ordinances and laws regulating activities covered by this permit.

Issued by \_\_\_\_\_ Applicant or Owner's Signature \_\_\_\_\_

**24 Hour Notice Required For All Inspections**

FOR INSPECTIONS CALL:

293-1901

CITY OF ANACORTES

BUILDING PERMIT

PERMIT No

8992

24 Hrs. Notice Requested

Site Address 1506 10th

OWNER	NAME (OR NAME OF BUSINESS) Robert Halvorsen			PLUMBING		
	MAILING ADDRESS 1506 10th Street			No.	TYPE OF FIXTURE OR ITEM	FEE
	CITY Anacortes, WA 98221	TELEPHONE NUMBER 293-6940			Water Closet	\$
ARCHITECT	NAME				Bathtub	
	ADDRESS				Lavatory	
	CITY	TELEPHONE NUMBER			Shower	
CONTRACTOR	NAME Westcoast Roofing, Inc.				Kitchen Sink	
	ADDRESS 1144 S. Burlington Blvd				Dishwasher	
	CITY Burlington, Wa	TELEPHONE NUMBER 757-4000			Laundry Tray	
	STATE LICENSE NUMBER WESTCR1110KH	CITY LICENSE NUMBER 4575			Clothes Washer	
	<input type="checkbox"/> Residential <input type="checkbox"/> Non-Residential				Water Heater	
<input type="checkbox"/> New <input type="checkbox"/> Add <input type="checkbox"/> Alter <input checked="" type="checkbox"/> Repair				Urinal		
<input type="checkbox"/> Building <input type="checkbox"/> Plumbing <input type="checkbox"/> Mechanical				Drinking Fountain		
<input type="checkbox"/> Sign <input type="checkbox"/> Demolition <input type="checkbox"/> Other				Floor Sink or Drain		
Legal Description of Property or Tax Account Number Lot 17+18 Block 130 of Original Plat 3772-130-018-				Slop Sink		
Describe Work Reroof Residence.				Water Piping		
Occupancy Use <input checked="" type="checkbox"/> Single Family Residence <input type="checkbox"/> Multi-Family Residence <input type="checkbox"/> Office <input type="checkbox"/> Retail <input type="checkbox"/> Storage <input type="checkbox"/> Church <input type="checkbox"/> Restaurant <input type="checkbox"/> Other						
NOTICE This permit is issued by the Building Official and, under the provisions of the Uniform Building Code, shall expire by limitation and become null and void if the building or work authorized by such permit is not commenced within 180 days from the date of permit issuance, or if the building or work authorized by such permit is suspended or abandoned at any time after the work is commenced for a period of 180 days. By affixing my signature, I hereby certify that I am the owner of the property for which this permit is issued or am an authorized representative of the owner. All provisions of laws and ordinances governing this type of work will be complied with whether specified herein or not, including routine calls for inspections.						
Signature of Owner or Authorized Agent <i>Robert Halvorsen</i> 8/2/91 (Date)						
Street Setback	Side Yard Setback	Rear Yard Setback				
Use Zone	Occupancy Group	Type of Const.				
Lot Area	Vacant Site <input type="checkbox"/> Yes <input type="checkbox"/> No	Dwelling Units				
Fire Sprinklers Required <input type="checkbox"/> Yes <input type="checkbox"/> No	No. of Stories	Bedrooms	Occupant Load			
Size of Bldg.	Plans Checked By:					
WHEN SIGNED AND DATED BELOW, THIS IS YOUR PERMIT Permission is hereby given to do the above described work, according to the conditions hereon and according to the approved plans and specifications pertaining thereto, subject to compliance with the ordinances of the CITY OF ANACORTES.						
Permit Issued By <i>E. Frank</i> 08/02/91 Building Official (Date) Edwin Frank						
MECHANICAL <input type="checkbox"/> GAS <input type="checkbox"/> OIL <input type="checkbox"/> ELECT. <input type="checkbox"/> OTHER						
No.	TYPE OF EQUIPMENT	FEE				
	Air Cond. Unit	\$				
	Refrigeration Unit --	HP				
	Boiler --	HP				
	Forced Air System --	BTU/KW				
	Floor Furnace					
	Wall Heater					
	Unit Heater					
	Clothes Dryer					
	Ventilation Fan					
	Range Hood					
	Air Handling Unit --	CFM				
	Pre-manufactured Stove or Fireplace					
	Gas Piping					
		PERMIT \$				
		TOTAL FEE \$				
TOTAL FEES		VALUATION	FEE			
Building		3,294.00	\$	45.00		
Plan Check				0.00		
Plumbing						
Mechanical						
Sign						
Demolition						
Energy Surcharge						
State Surcharge				4.50		
Other						
		TOTAL \$		49.50		
Conditions:						

PERMIT No

8992

Address 1506 10<sup>th</sup> St.

Legal Description LOTS 17 & 18 BLK 130 ORIG.

Assessors Account No. \_\_\_\_\_

Permit No.	Date	Description	Date Finaled
2235	6-30-75	REROOF	
2934	9-17-81	22'x30' GARAGE & SHED	
3623	—	REROOF	
3651	—	ROOF	
4864	—	COUNTER TOPS	
8992	8/2/91	REROOF	